

# Japanese Beetle Killer

*R · e · a · d · y t · o U · s · e*

#### ACTIVE INGREDIENTS

* Pyrethrins.....	(CAS No. 8003-34-7).....	0.02%
Piperonyl Butoxide.....	(CAS No. 51-03-8).....	0.20%
<b>OTHER INGREDIENTS.....</b>		<b>99.78%</b>
<b>TOTAL.....</b>		<b>100.00%</b>

\*From PYRENONE — Registered trademark of AgrEvo

DO NOT TRANSPORT OR STORE UNDER 32°F  
If freezing occurs, thaw and agitate vigorously.

EPA Est. No. 4-NY-1

EPA Reg. No. 4-309

**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION**

(See Back Panel for Additional Precautionary Statements)

**Net Contents 32 FL. OZ. (1 Qt.) (946 ML.)**

60470203

TRUSTED SINCE 1926

**BONIDE®**



**Kills Japanese Beetles and other listed insects on:**

- Vegetables
- Flowers
- Ornamentals
- Trees & Shrubs

BONIDE JAPANESE BEETLE KILLER, RTU, EPA Reg. No. 4-309

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes or climatic modification and being grown in interior plantscapes, ornamental gardens or parks, or on golf courses or lawns and grounds.

**Use on the following ornamentals:** African Violets, Azaleas, Begonias, Camellias, Dahlias, Dogwood, Roses, Wandering Jew, Asters, Carnations, Chrysanthemums, Geraniums, Gladioli and Marigolds. To control: aphids, flea beetles, leafhoppers and whiteflies. To kill gypsy moth caterpillars and adults, adult Japanese beetles and Eastern and forest tent caterpillars on contact.

**On Trees and Shrubs:** Treat trees and shrubs as soon as insects emerge (usually late spring). Treat leaves, branches and tree trunks evenly, making sure to penetrate dense foliage. Repeat application every 7 days or as necessary for control.

**On Roses and Flower Gardens:** Treat plants and flowers as soon as insects appear. Spray plants and flowers making sure to penetrate dense foliage. Repeat application every 7 days or as necessary to control.

**For Use on Vegetables to Control Insects:** This insecticide may be used indoors, outdoors or in greenhouses throughout the growing season, or as a pre-harvest treatment when other insecticides are prohibited due to residue restrictions and use limitations. Repeat treatment weekly or as needed to control infestations. May be applied on day of harvest.

**Use on the following crops:** Asparagus, Beans, Broccoli, Cauliflower, Cabbage, Brussels Sprouts, Celery, Cranberries, Eggplant, Lettuce, Mustard Greens, Kale, Collards, Turnips, Peppers, Potatoes, Radishes, Spinach, and Tomatoes. To Control: asparagus beetles, aphids, leafhoppers, whiteflies, Mexican bean beetles, 12-Spotted cucumber beetles, cabbage loopers, crossstriped cabbageworms, diamondback moth larvae, flea beetles, harlequin bugs, imported cabbageworms, stink bugs, green peach aphids, leafhoppers, fireworms, blister beetles, Colorado potato beetles, and webworms.

**TO OPERATE: Shake Before Using.** Turn nozzle of sprayer to "spray" or "stream" position. Prime sprayer by holding at cap level of bottle and pumping trigger. Hold pump sprayer 18 to 24 inches from foliage or surfaces being treated. Direct spray so that upper and lower surfaces are contacted. Use caution on new growth and tender foliage. Spray water through sprayer after each use. Sprayer should be rinsed thoroughly and pumped empty for storage. Set nozzle to closed position.

This insecticide may be used indoors, outdoors or in greenhouses throughout the growing season. Repeat treatment weekly or as needed to control infestations.

**STORAGE AND DISPOSAL:** Do not store under 32°F. Store in upright position. Do not reuse empty container. Wrap container and put in trash collection.

**PRECAUTIONARY STATEMENTS – HAZARDS TO HUMANS & DOMESTIC ANIMALS – CAUTION:** Harmful if swallowed or absorbed through skin. Avoid breathing vapors. Avoid contact with eyes, skin or clothing. In case of contact, immediately flush eyes and skin with plenty of water. Get medical attention if irritation persists. Remove pets, birds and cover fish aquaria before spraying.

**ENVIRONMENTAL HAZARDS:** This product toxic to fish. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes. Shrimp and crabs may be killed at application rates recommended on this label. Do not apply where these are important resources.

Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given herewith.

**MANUFACTURED BY**  
**BONIDE PRODUCTS INC.**  
6301 Suttiff Road  
Oriskany, NY 13424

80